



NATURAL HISTORY SOCIETY OF PRINCE EDWARD ISLAND

P.O. BOX 2346, CHARLOTTETOWN C1A 8C1

MEETINGS are held on the first Tuesday of the month (except June, July, August and September) at 8:00 p.m. at the Farm Centre on University Avenue, Charlottetown. Members and non-members are welcome.

MEMBERSHIP is open to anyone interested in the natural history of Prince Edward Island. Membership is available at any meeting or by contacting Dan McAskill, RR#5, Charlottetown, P.E.I. C1A 7J8 (phone 569-4351). Annual rates are as follows: regular - \$4; student - \$2; family - \$5. Renewals are due in early January.

1989 EXECUTIVE:

President.....	Susan Stephenson, Winsloe	368-2789
Vice-President..	Patrick Wootton, Charlottetown	892-5761
Past-President....	Rosemary Curley, Summerville	838-4309
Treasurer.....	Dan McAskill, Donagh	569-4351
Secretary.....	Gerald MacDonald, Monticello	687-3314
Directors.....	Ruth Richman, Baldwin Road	838-2678
	Jean Ouellette, Charlottetown	892-5276

NEWSLETTERS are published bi-monthly. Articles, notes, reports, drawings, etc. are welcomed from members and non-members. If you have seen anything unusual, please share it with us. It is important to have your observations recorded so that others may learn from them. "Today's notations become tomorrow's history". All contributions should be sent to:

Gary Schneider,
RR#6,
Cardigan, P.E.I. COA 1G0
Phone: 838-2678

The Natural History Society gratefully acknowledges financial assistance from the Department of Transportation and Public Works which enables the newsletters to be distributed to schools and libraries and to members.

The Natural History Society of P.E.I. is a member organization of the Canadian Nature Federation. The Society is a registered, non-profit organization. Editors of other newsletters are welcome to reprint articles from the Island Naturalist (except when copyrighted) but acknowledgement would be appreciated.

This month's cover

The Raccoon (*Procyon lotor*) ranges in size from 24-40" and its distinctive black "mask" makes it easy to identify. It is reddish brown (with black) above and grayish below, and the tail has white and black rings. This mammal is common on Prince Edward Island, often seen in evening near bird feeders, and frequents wooded areas near streams.

